

1. Stokes LS, Wallace MJ, Godwin RB, Kundu S, Cardella, JF. **Quality Improvement Guidelines for Uterine Artery Embolization for Symptomatic Leiomyomas.** *J Vasc Interv Radiol.* 2010;81153-1156.
2. Ravina JH, Herbreteau D, Ciraru-Vigneron N, et al. **Arterial embolisation to treat uterine myomata.** *Lancet.* 1995;346:671–672
3. Goodwin SC, Vedantham S, McLucas B, Forno AE, Perella R. **Preliminary experience with uterine artery embolization for uterine fibroids.** *J Vasc Interv Radiol.* 1997;8:517–526
4. Goodwin SC, Spies JB, Worthington-Kirsch R, et al. **Uterine artery embolization for treatment of leiomyomata: long-term outcomes from the FIBROID registry.** *Obstet Gynecol.* 2008;111:22–33
5. Myers ER, Goodwin S, Landow W, et al. **Prospective data collection of a new procedure by a specialty society: the FIBROID registry.** *Obstet Gynecol.* 2005;106:44–51
6. Lohle PNM, Voogt MJ, De Vries J, et al. **Long-term outcome of uterine artery embolization for symptomatic uterine leiomyomas.** *J Vasc Interv Radiol.* 2008;19:319–326
7. Hehenkamp WJK, Volkers NA, Birnie E, Reekers JA, Ankum WM. **Symptomatic uterine fibroids: treatment with uterine artery embolization or hysterectomy—results from the randomized clinical embolisation versus hysterectomy (EMMY) trial.** *Radiology.* 2008;246:823–831
8. Hehenkamp WJK, Volkers NA, Donderwinkel PFJ, et al. **Uterine artery embolization versus hysterectomy in the treatment of symptomatic uterine fibroids (EMMY trial): peri- and postprocedural results from a randomized controlled trial.** *Am J Obstet Gynecol.* 2005;193:1618–1629
9. Volkers NA, Hehenkamp WJK, Birnie E, Ankum WM, Reekers JA. **Uterine artery embolization versus hysterectomy in the treatment of symptomatic uterine fibroids: 2 years' outcome from the randomized EMMY trial.** *Am J Obstet Gynecol.* 2007;196:519e.1–519e.11
10. The REST Investigators. **Uterine-artery embolization versus surgery for symptomatic uterine fibroids.** *N Engl J Med.* 2007;356:360–370
11. Dutton S, Hirst A, McPherson K, Nicholson T, Maresh M. **A UK multicentre retrospective cohort study comparing hysterectomy and uterine artery embolisation for the treatment of symptomatic uterine fibroids (HOPEFUL study): main results on medium-term safety and efficacy.** *Br J Obstet Gynaecol.* 2007;114:1340–1351
12. Gabriel-Cox K, Jacobson GF, Armstrong MA, Hung Y, Learman LA. **Predictors of hysterectomy after uterine artery embolization for leiomyoma.** *Am J Obstet Gynecol.* 2007;196:588.e1–588.e6
13. Goodwin SC, Bradley LD, Lipman JC, et al. **Uterine artery embolization versus myomectomy: a multicenter comparative study.** *Fertil Steril.* 2006;85:14–21

14. Siskin GP, Shlansky-Goldberg RD, Goodwin SC, et al. **A prospective multicenter comparative study between myomectomy and uterine artery embolization with polyvinyl alcohol microspheres: long-term clinical outcomes in patients with symptomatic uterine fibroids.** *J Vasc Interv Radiol.* 2006;17:1287–1295
15. Bucek RA, Puchner S, Lammer H. **Mid- and long-term quality-of-life assessment in patients undergoing uterine fibroid embolization.** *AJR Am J Roentgenol.* 2006;186:877–882
16. Scheurig C, Gauruder-Bermester A, Kluner C, et al. **Uterine artery embolization for symptomatic fibroids: short-term versus mid-term changes in disease-specific symptoms, quality of life and magnetic resonance imaging results.** *Hum Reprod.* 2006;21:3270–3277
17. Smeets AJ, Lohle PNM, Vervest HAM, Boekkooi PF, Lampmann LEH. **Mid-term clinical results and patient satisfaction after uterine artery embolization in women with symptomatic uterine fibroids.** *Cardiovasc Intervent Radiol.* 2006;29:188–191
18. Walker WJ, Barton-Smith P. **Long-term follow up of uterine artery embolization—effective alternative in the treatment of fibroids.** *Br J Obstet Gynaecol.* 2006;113:464–468
19. Joffre F, Tubiana J, Pelage J, Groupe FEMIC. **FEMIC (Fibromes Embolisés aux MICrosphères calibrées): uterine fibroid embolization using tris-acryl microspheres (A French multicenter study).** *Cardiovasc Intervent Radiol.* 2004;27:600–606
20. Smith WJ, Upton E, Shuster EJ, Klein AJ, Schwartz ML. **Patient satisfaction and disease specific quality of life after uterine artery embolization.** *Am J Obstet Gynecol.* 2004;190:1697–1706
21. Spies JB, Coyne K, Guaou NG, Boyle D, Skyrnarz-Murphy K, Gonzalves SM. **The UFS-QOL, a new disease-specific symptom and health-related quality of life questionnaire for leiomyomata.** *Obstet Gynecol.* 2002;99:290–300
22. Clevenger-Hoeft M, Syrop CH, Stovall DW, Van Voorhis BJ. **Sonohysterography in premenopausal women with and without abnormal bleeding.** *Obstet Gynecol.* 1999;94:516–520
23. Kim MD, Kim S, Kim NK, et al. **Long-term results of uterine artery embolization for symptomatic adenomyosis.** *AJR Am J Roentgenol.* 2007;188:176–181
24. Lohle PNM, De Vries J, Klazen CAH, et al. **Uterine artery embolization for symptomatic adenomyosis with or without uterine leiomyomas with the use of calibrated trisacryl gelatin microspheres: midterm clinical and MR imaging follow-up.** *J Vasc Interv Radiol.* 2007;18:835–841
25. Goldberg J. **Uterine artery embolization for adenomyosis: looking at the glass half full [letter].** *Radiology.* 2005;236:1111–1112
26. Pelage JP, Jacob D, Fazel A, Namur J, Laurent A, Rymer R, et al. **Midterm results of uterine artery embolization for symptomatic adenomyosis: initial experience.** *Radiology.* 2005;234:948–953
27. Kim MD, Won JW, Lee DY, Ahn CS. **Uterine artery embolization for adenomyosis without fibroids.** *Clin Radiol.* 2004;59:520–526

28. Verma SK, Bergin D, Gonsalves CF, Mitchell DG, Lev-Toaff AS, Parker L. **Submucosal fibroids becoming endocavitary following uterine artery embolization: risk assessment by MRI.** *AJR Am J Roentgenol.* 2008;190:1220–1226
29. Mara M, Maskova J, Fucikova Z, Kuzel D, Belsan T, Sosna O. **Midterm clinical and first reproductive results of a randomized controlled trial comparing uterine fibroid embolization and myomectomy.** *Cardiovasc Intervent Radiol.* 2008;31:73–85
30. Usadi R, Marshburn PB. **The impact of uterine artery embolization on fertility and pregnancy outcome.** *Curr Opin Obstet Gynecol.* 2007;19:279–283
31. Holub Z, Mara M, Kuzel D, Kuzel D, Jabor A, Maskova J, et al. **Pregnancy outcomes after uterine artery occlusion: prospective multicentric study.** *Fertil Steril.* 2008;90:1886–1891
32. Goldberg J, Pereira L. **Pregnancy outcomes following treatment for fibroids: uterine fibroid embolization versus laparoscopic myomectomy.** *Curr Opin Obstet Gynecol.* 2006;18:402–406
33. Walker WJ, McDowell SJ. **Pregnancy after uterine embolization for leiomyomata: a series of 56 completed pregnancies.** *Am J Obstet Gynecol.* 2006;195:1266–1271
34. Pron G, Mocarski E, Bennett J, Vilos G, Common A, Vanderburgh L. **Pregnancy after uterine artery embolization for leiomyomata: the Ontario multicenter trial.** *Obstet Gynecol.* 2005;105:67–76
35. Carpenter TT, Walker WJ. **Pregnancy following uterine artery embolisation for symptomatic fibroids: a series of 26 completed pregnancies.** *Br J Obstet Gynaecol.* 2005;112:321–325
36. Kim MD, Kim NK, Kim HJ, Lee MH. **Pregnancy following uterine artery embolization with polyvinyl alcohol particles for patients with uterine fibroid or adenomyosis.** *Cardiovasc Intervent Radiol.* 2005;28:611–615
37. Goldberg J, Pereira L, Berghella V, et al. **Pregnancy outcomes after treatment for fibromyomata: uterine artery embolization versus laparoscopic myomectomy.** *Am J Obstet Gynecol.* 2004;191:18–21
38. de Blok S, de Vries C, Prinssen HM, Blaauwgeers HL, Jorna-Meijer LB. **Fatal sepsis after uterine artery embolization with microspheres.** *J Vasc Interv Radiol.* 2003;14:779–783
39. Vashisht A, Studd J, Carey A, Burn P. **Fatal septicaemia after fibroid embolisation.** *Lancet.* 1999;354:307–308
40. Lanocita R, Frigerio LF, Patelli G, DiTolla G, Spreafico C. A fatal complication of percutaneous transcatheter embolization for treatment of uterine fibroids (abstr.). Presented at the 11th Annual Meeting of the Society for Minimally Invasive Therapy; September 16–18, 1999; Boston, MA; abstract UAE–04.
41. Walker WJ, Pelage JP, Sutton C. **Fibroid embolization.** *Clin Radiol.* 2002;57:325–331
42. Kitamura Y, Ascher SM, Cooper C, et al. **Imaging manifestations of complications associated with uterine artery embolization.** *Radiographics.* 2005;25(Suppl 1):S119–S132
43. Godfrey CD, Zbella EA. **Uterine necrosis after uterine artery embolization for leiomyoma.** *Obstet Gynecol.* 2001;98:950–952

44. Dietz DM, Stahlfeld KR, Bansal SK, Christopherson WA. **Buttock necrosis after uterine artery embolization.** *Obstet Gynecol.* 2004;104(part 2):1159–1161
45. Yeagley TJ, Goldberg J, Klein TA, Bonn J. **Labial necrosis after uterine artery embolization for leiomyomata.** *Obstet Gynecol.* 2002;100:881–882
46. Price N, Golding S, Slack RA, Jackson SR. **Delayed presentation of vesicouterine fistula 12 months after uterine artery embolisation for uterine fibroids.** *J Obstet Gynaecol.* 2007;27:205–207
47. Gavrilesco T, Sherer DM, Temkin S, Zinn H, Abulafia O. **Small bowel volvulus after uterine artery embolization requiring bowel resection: a case report.** *J Reprod Med.* 2006;51:739–741
48. **Rastogi S, Wu YH, Shlansky-Goldberg RD, Stavropoulos SW. Acute renal failure after uterine artery embolization.** *Cardiovasc Intervent Radiol.* 2004;27:549–550
49. Pelage JP, Le Dref O, Jacob D, et al. Uterine artery embolization: anatomical and technical considerations, indications, results, and complications. *J Radiol.* 2000;81:1863–1872
50. Chrisman HB, Saker MB, Ryu RK, et al. **The impact of uterine fibroid embolization on resumption of menses and ovarian function.** *J Vasc Interv Radiol.* 2000;11:699–703
51. Katsumori T, Kasahara T, Tsuchida Y, Nozaki T. **Amenorrhea and resumption of menstruation after uterine artery embolization for fibroids.** *Int J Gynaecol Obstet.* 2008;103:217–221
52. Lai AC, Goodwin SC, Bonilla SM, et al. **Sexual dysfunction after uterine artery embolization.** *J Vasc Interv Radiol.* 2000;11:755–758
53. Hehenkamp WJK, Volkens NA, Bartholomeus W, et al. **Sexuality and body image after uterine artery embolization and hysterectomy in the treatment of uterine fibroids: a randomized comparison.** *Cardiovasc Intervent Radiol.* 2007;30:866–875
54. Voogt M, DeVries J, Fonteijn W, Lohle P, Boekkooi P. **Sexual functioning and psychological well-being after uterine artery embolization in women with symptomatic uterine fibroids.** *Fertil Steril.* 2009;92:756–761
55. Smith WJ, Upton E, Shuster EJ, Klein AJ, Schwartz ML. **Patient satisfaction and disease specific quality of life after uterine artery embolization.** *Am J Obstet Gynecol.* 2004;190:1697–1703
56. Spies JB, Bakal CW, Burke DR, et al. **Standards for interventional radiology (Standards for interventional radiology. Standards of Practice Committee of the Society of Cardiovascular and Interventional Radiology).** *J Vasc Interv Radiol.* 1991;2:59–65
57. Stecker MS, Balter S, Towbin RB, et al. **Guidelines for patient radiation dose management.** *J Vasc Interv Radiol.* 2009;20(Suppl):S263–S273
58. White AM, Banovac F, Spies JB. **Patient radiation exposure during uterine fibroid embolization and the dose attributable to aortography.** *J Vasc Interv Radiol.* 2007;18:573–576